

Dated: March 15, 2006

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

**SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450**

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO  <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  <i>(use as many sheets as necessary)</i>				Complete if Known	
				Application Number	10/528,785
				Filing Date	October 17, 2005
				First Named Inventor	Micha SPIRA
				Group Art Unit	1645
				Examiner Name	unknown
Sheet	2	Of	4	Attorney Docket Number 29627	
OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.			T <sup>2</sup>
	3	Truong et al. "FRET-Based In Vivo Ca <sup>2+</sup> Imaging by A New Calmodulin-GFP Fusion Molecule", Nature Structural Biology, 8(12): 1069-1073, 2001.			
	4	Ashery et al. "Acceleration of Membrane Recycling by Axotomy of Cultured Aplysia Neurons", Neuron, 16: 641-651, 1996.			
	5	Benbassat et al. "Survival of Isolated Axonal Segments in Culture: Morphological, Ultrastructural, and Physiological Analysis" Experimental Neurology, 122: 295-310, 1993.			
	6	Bettinger et al. "Peptide-Mediated RNA Delivery: A Novel Approach for Enhanced Transfection of Primary and Post-Mitotic Cells", Nucleic Acids Research, 29(18): 3882-3891, 2001.			
	7	Bettinger et al. "Recent Developments in RNA-Based Strategies for Cancer Gene Therapy", Current Opinion in Molecular Therapeutics, 3(2): 116-124, 2001.			
	8	Chang et al. "Activation of a Heterologously Expressed Octopamine Receptor Coupled only to Adenylyl Cyclase Produces all the Features of Presynaptic Facilitation in Aplysia Sensory Neurons", PNAS, 97(4): 1829-1834, 2000.			
	9	Coquelle et al. "LIS1, CLIP-170's Key to the Dynein/Dynactin Pathway", Molecular and Cellular Biology, 22(9): 3089-3102, 2002.			
	10	DesGroseillers et al. "Aplysia Californica Neurons Express Microinjected Neuropeptide Genes", Molecular and Cellular Biology, 7(8): 2762-2771, 1987.			
	11	Felipe "Polycistronic Viral Vectors", Current Gene Therapy, 2: 355-378, 2002.			
	12	Fisher et al. "The Transmembrane Domain of Diphtheria Toxin Improves Molecular Conjugate Gene Transfer, Biochemical Journal, 321: 49-58, 1997.			
	13	Forscher et al. "Actions of Cytochalasins on the Organization of Actin Filaments and Microtubules in a Neuronal Growth Cone", The Journal of Cell Biology, 107: 1505-1516, 1988.			
	14	Gabso et al. "Low Mobility of the Ca <sup>2+</sup> Buffers in Axons of Cultured Aplysia Neurons", Neuron, 18: 473-481, 1997.			
	15	Galitski et al. "Ploidy Regulation of Gene Expression" Science, 285, 251-254, 1999.			
	16	Ghattas et al. "The Encephalomyocarditis Virus Internal Ribosome Entry Site Allows Efficient Coexpression of Two Genes from a Recombinant Provirus in Cultured Cells and in Embryos", Molecular and Cellular Biology, 11(12): 5848-5859, 1991.			
	17	Gitler et al. "Short Window of Opportunity for Calpain Induced Growth Cone Formation after Axotomy of Aplysia Neurons", Window of Opportunity for Growth Cone Formation: 267-279, 2002.			
	18	Gitler et al. "Real Time Imaging of Calcium-Induced Localized Proteolytic Activity after Axotomy and Its Relation to Growth Cone Formation", Neuron, 20: 1123-1135, 1998.			
	19	Kaang "Neuronal Expression of Reporter Genes in the Intact Nervous System of Aplysia", Molecular Cells, 6(3): 285-295, 1996.			
	20	Kaang "Parameters Influencing Ectopic Gene Expression in Aplysia Neurons", Neuroscience Letters, 221: 29-32, 1996.			
	21	Kaang et al. "Activation of cAMP-Responsive Genes by Stimuli that Produce Long-Term Facilitation in Aplysia Sensory Neurons", Neuron, 10: 427-435, 1993.			
	22	Kaang et al. "Overexpression of an Aplysia Shaker K <sup>+</sup> Channel Gene Modifies the Electrical Properties and Synaptic Efficacy of Identified Aplysia Neurons", PNAS, 89: 1133-1137, 1992.			

23	Kandel "The Molecular Biology of Memory Storage: A Dialogue Between Genes and Synapses", Science, 294: 1030-1038, 2001.	
24	Kim et al. "Truncated Green Fluorescent Protein Mutants and their Expression in Aplysia Neurons", Brain Research Bulletin, 47(1): 35-41, 1998.	
25	Lee et al. "Overexpression of and RNA Interference with the CCAAT Enhancer-Binding Protein on Long-Term Facilitation of Aplysia Sensory to Motor Synapses", Learning & Memory, 8: 220-2226, 2001.	
26	Lee et al. "The cAMP-Dependent Kinase Pathway Does Not Sensitize the Cloned Vanilloid Receptor Type 1 Expressed in Xenopus Oocytes or Aplysia Neurons", Neuroscience Letters, 288: 57-60, 2000.	
27	Lin et al. "Cytoskeletal Remodeling During Growth Cone-Target Interactions", The Journal of Cell Biology, 121(6): 1369-1383, 1993.	
28	Lin et al. "Cytoskeletal Reorganization Underlying Growth Cone Motility", Current Opinion in Neurobiology, 4: 640-647, 1994.	
29	Macejak et al. "Internal Initiation of Translation Mediated by the 5' Leader of a Cellular mRNA", Nature, 353, 90-94, 1991.	
30	Malone et al. "Cationic liposome-mediated RNA transfection", PNAS, 86: 6077-6081, 1989.	
31	Manseau et al. "Ca <sup>2+</sup> -Independent Protein Kinase C Apl II Mediates the Serotonin-Induced Facilitation at Depressed Aplysia Sensorimotor Synapses", The Journal of Neuroscience, 21(4): 1247-1256, 2001.	
32	Martin et al. "Evidence for Synaptotagmin as an Inhibitory Clamp on Synaptic Vesicle Release in Aplysia Neurons", PNAS, 92: 11307-11311, 1995.	
33	Misawa et al. "A Method to Identify cDNAs Based on Localization of Green Fluorescent Protein Fusion Products", PNAS, 97,(7): 3062-3066, 2000.	
34	Mochida et al. "Exogenous mRNA Encoding Tetanus or Botulinum Neurotoxins Expressed in Aplysia Neurons", PNAS, 87: 7844-7848, 1990.	
35	Nakagawa et al. "EB3, a Novel Member of the EB1 Family Preferentially Expressed in the Central Nervous System, Binds to a CNS-specific APC Homologue", Oncogene, 19: 210-216, 2000.	
36	Pelletier et al. "Internal Initiation of Translation of Eukaryotic mRNA Directed by a Sequence Derived from Poliovirus RNA", Nature, 334: 320-325, 1988.	
37	Rupp et al. "Xenopus Embryos Regulate the Nuclear Localization of XMyoD", Genes & Development, 8: 1311-1323, 1994.	
38	Schacher et al. "Neurite Regeneration By Aplysia Neurons In Dissociated Cell Culture: Modulation By Aplysia Hemolymph And The Presence Of The Initial Axonal Segment1", The Journal of Neuroscience, 3(12): 2403-2413, 1983.	
39	Schaefer et al. "Filopodia and actin arcs guide the assembly and transport of two populations of microtubules with unique dynamic parameters in neuronal growth cones", The Journal of Cell Biology, 158(1): 139-152, 2002.	
40	Spira et al. "Calcium, Protease Activation, and Cytoskeleton Remodeling Underlie Growth Cone Formation and Neuronal Regeneration", Cellular and Molecular Neurobiology, 21(6): 591-603, 2002.	
41	Spira et al. "Critical Calpain-Dependent Ultrastructural Alterations Underlie the Transformation of an Axonal Segment into a Growth Cone after Axotomy of Cultured Aplysia Neurons" The Journal of Comparative Neurology, 457: 293-312, 2003.	
42	Spira et al. "Resealing of the Proximal and Distal Cut Ends of Transected Axons: Electrophysiological and Ultrastructural Analysis", Journal of Neurobiology, 24(3): 300-316, 1993.	
43	Spira et al. "Use of Aplysia neurons for the study of cellular alterations and the resealing of transected axons In Vitro", Journal of Neuroscience Methods, 69: 91-102, 1996.	
44	Spira et al. "Calcium Homeostasis and Mechanisms of Growth Cone Formation During Neuritogenesis in Cultured Aplysia Neurons", The Neuron in Tissue Culture, chapter 6: 87-103, 1999.	
45	Spira et al. "High Calcium Concentrations, Calpain Activation and Cytoskeleton Remodeling in Neuronal Regeneration after Axotomy", Department of Neurobiology, Life Science Institute, The Hebrew University of Jerusalem: 589-605.,	

	46	Strobel et al. "Human dendritic cells transfected with either RNA or DNA encoding influenza matrix protein M1 differ in their ability to stimulate cytotoxic T lymphocytes", Gene Therapy, 7: 2028-2035, 2000.	
	47	Suter et al. "Substrate-Cytoskeletal Coupling as a Mechanism for the Regulation of Growth Cone Motility and Guidance", Dept. of Molecular, Cellular and Developmental Biology, Yale a University: 97-113, 2000.	
	48	Tanaka et al. "Making the Connection: Cytoskeletal Rearrangements during Growth Cone Guidance", Cell, 83: 171-176, 1995.	
	49	Turner et al. "Expression of Achaete-Scute Homolog 3 in Xenopus Embryos Converts Ectodermal Cells to a Neural Fate", Genes & Development, 8: 1434-1447, 1994.	
	50	Vagner et al. "Irresistible IRES - Attracting the Translation Machinery to International Ribosome Entry Sites", EMBO Reports, 21(101): 893-898, 2001.	
	51	van Neck et al. "Effect of Ploidy on Transcription Levels in Cultured Rat Aortic Smooth Muscle Cells", FEBS Letters, 297(1,2): 189-195, 1992.	
	52	Zhao et al. "A New Class of noninactivating K <sup>+</sup> Channels from Aplysia Capable of Contributing to the resting Potential and Firing Patterns of Neurons", Neuron, 13: 1205-1213, 1994.	
	53	Ziv et al. "Spatiotemporal Distribution of CA <sup>2+</sup> Following Axotomy and Throughout the Recovery Process of Cultured Aplysia Neurons", European Journal of Neuroscience, 5: 657-668,, 1993.	
	54	Ziv et al. "Axotomy Induces a Transient and Localized Elevation of the Free Intracellular Calcium Concentration to the Millimolar Range", Journal of Neurophysiology, 74(6): 2625-2637, 1995.	
	55	Ziv et al. "Localized and Transient Elevations of Intracellular Ca <sup>2+</sup> Induce the Dedifferentiation of Axonal Segments into Growth Cones", The Journal of Neuroscience, 17(10): 3568-3579, 1997.	
	56	Ziv et al. "Induction of Growth Cone Formation by Transient and Localized Increases of Intracellular Proteolytic Activity", The Journal of Cell Biology, 140(1): 223-232, 1998.	

Signature		Considered	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>. Applicant's unique citation designation number (optional). <sup>2</sup>. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. this collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

**SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*